


MATERIAL LEGEND

SYMBOL	TYPE	CONSTRUCTION (COMPONENTS)	PATTERN (ARC) (MINIMUM) REQUIRED	OFFICE	SCREEN	I.P.S.	G.P.M.	P.S.I.	DIAMETER/RADIUS	ADJUSTMENT DEVICE
⊕	ELECTRIC VALVE	HEAVY CAST BRONZE, STEEL & BRASS			NOT REQ'D	AS NOTED ON PLANS				YES
⊞	AUTOMATIC CONTROLLER	WEATHERPROOF ENAMELED STEEL HOUSING W/ LATCH FOR PAD LOCKING HEAVY CAST BRONZE, STEEL & BRASS			NOT REQ'D					
⊞	GATE VALVE	HEAVY CAST BRONZE, STEEL & BRASS			NOT REQ'D	AS NOTED ON PLANS				
⊞	DOUBLE CHECK VALVE ASSEMBLY	HEAVY CAST BRONZE, STEEL & BRASS			NOT REQ'D	AS NOTED ON PLANS				
⊞	GEAR DRIVEN TURF ROTOR	ABS & CELCON, BRASS & STAINLESS STEEL	FULL CIRCLE-360°		REQ'D	AS NOTED ON PLANS	11.00-12.00	45-50	94"-100" DIAMETER	NO
⊞	GEAR DRIVEN ROTOR	ABS & CELCON, BRASS & STAINLESS STEEL	PART CIRCLE FULLY ADJUSTABLE FROM 110-340°	DUAL OR TRI NOZZLE	REQ'D	AS NOTED ON PLANS	6.00-7.00	45-50	47"-50" RADIUS	NO
●	POP-UP TURF SPRAY-2"	SAND CAST BRASS, MACHINED	FULL CIRCLE-360°	MACHINED (SLOTS)	NOT REQ'D	1/2"	4.00-4.40	22-25	24"-28" DIAMETER	OPTIONAL
●	MINIMUM HI-POP	BRASS BAR STOCK	HALF CIRCLE-180°	MACHINED (SLOTS)	NOT REQ'D	1/2"	2.00-2.50	22-25	12"-14" RADIUS	OPTIONAL
●	POP-UP TURF SPRAY-2"	BRASS BAR STOCK	QUARTER CIRCLE-90°	MACHINED (SLOTS)	NOT REQ'D	1/2"	1.00-1.50	22-25	12"-14" RADIUS	OPTIONAL
○	MINIMUM HI-POP	SAND CAST BRASS, MACHINED	FULL CIRCLE	MACHINED (SLOTS)	NOT REQ'D	1/2"	4.00-4.40	22-25	24"-28" DIAMETER	OPTIONAL
○	SHRUB SPRAY ON COPPER RISER	SAND CAST BRASS, MACHINED	HALF CIRCLE	MACHINED (SLOTS)	NOT REQ'D	1/2"	2.00-2.50	22-25	12"-14" RADIUS	OPTIONAL
○	SHRUB SPRAY ON COPPER RISER	SAND CAST BRASS, MACHINED	QUARTER CIRCLE	MACHINED (SLOTS)	NOT REQ'D	1/2"	1.00-1.50	22-25	12"-14" RADIUS	OPTIONAL
▲	QUICK COUPLER VALVE	HEAVY CAST BRONZE W/ WHITE VINYL COVER, ONE PIECE CONSTRUCTION			NOT REQ'D	1"				



Revisions

NO.	DATE	DESCRIPTION

VA FORM 86-521A, OCT 1978

DAHL, BRADEN, CHAPMAN, INC.
Architecture / Planning / Interior Design
EDWARD L. WILSON, JR.
Consulting Engineers

YANDELL & HILLER, INC.
Consulting Engineers

IRRIGATION SITE PLAN

Project Title: **120 BED NURSING HOME CARE UNIT**

Building Number: **60**

Location: **VAMC DALLAS, TX**

Project No: **549-026**

Drawing No: **60.L.20**

Date: **6/20/72**

Approved Project Director: *[Signature]*

Checked: *[Signature]*

Drawn: *[Signature]*

Project Title: **120 BED NURSING HOME CARE UNIT**

Building Number: **60**

Location: **VAMC DALLAS, TX**

Project No: **549-026**

Drawing No: **60.L.20**

Date: **6/20/72**

Veterans Administration